



How to Fix a Broken Zipper

Fix a broken zipper with these quick and simple steps.

Written By: Katalina Holbrook



INTRODUCTION



This guide will thoroughly explain how to easily repair a zipper that is broken. No special requirements needed; just needle-nose pliers, scissors, and a needle and thread!



TOOLS:



- [Large Needle Nose Pliers](#) (1)
 - [Fabric Scissors](#) (1)
 - [Needle](#) (1)
 - [Thread](#) (1)
-

Step 1 — How to Fix a Broken Zipper



- Take the needle nose pliers and remove the metal or plastic stopper at the end of the zipper.
- Zip the zipper all the way down to the last set of teeth.

Step 2




- Align both sides of the zipper evenly and slip the zipper back on track.

Step 3



- Start zipping up the zipper to make sure it has been aligned properly.

Step 4




- Thread the needle.
- Sew up the area where the metal or plastic stopper used to reside.

Step 5



- Tie off what has been sewn by making a knot in the thread.

Step 6



- Take the scissors and cut off the access thread. Get as close to the knot as you can without cutting it off.

Step 7



- Zip up the garment to make sure everything is working properly.

To reassemble your device, follow these instructions in reverse order.

This document was last generated on 2017-07-14 07:48:40 AM.